
THIS DRAWING IS INTENDED ONLY AS A GUIDE AND NOT AS A REPLACEMENT FOR PROFESSIONALLY ENGINEERED PROJECT DRAWINGS. THIS CONCEPT SYSTEM DRAWING DOES NOT IMPLY COMPLIANCE WITH LOCAL BUILDING CODES, ACTUAL INSTALLATION MAY VARY DEPENDING ON INSTALLATION LOCATION AND PARAMETERS AND IT MUSTS BE DONE IN ACCORDANCE TO ALL LOCAL BUILDING CODES, VERIFY WITH LOCAL BUILDINGS OFFICIALS BEFORE COMMENCEMENT OF SYSTEM INSTALLATION. CHANGES OR MODIFICATIONS TO PRINT OR DESCRIPTION. TO HANGE SO THE OWNER OF THE OWNER OWNER OWNER OF THE OWNER OWNER. THE OWNER O



L	TANKLESS QUANTITY: RECOMMENDED PIPE SIZE 1 UNIT: 3/4" 2 UNITS: 1" 3 UNITS: 1-1/4" 4-5 UNITS: 1-1/2" 6-8 UNITS: 2" 9-14 UNITS: 2-				SYMBOL LEGEND			
Г	Mavien	NPE—S2 SERIES TANKLESS WATER HEATER			= UNION	CHECK VALVE	FULL-PORT VALVE	PRESSURE RELIEF VALVE
1		(4) NPE-S2 TANKLESS WATER HEATERS		VALVE			中 VALVE	
Т	20 GOODYEAR	(INCLUDES NPE-A2 INTERNAL CIRCULATION MODE) INCLUDES MODELS 150(NPE-S2 ONLY), 180, 210 AND 240			CASCADE CABLE			
Т	IRVINE, CA 92618 800-519-8794							
L	www.navieninc.com	DRAWN BY: S. STOEKE	NPE-S2-4-I	MAY 17, 2021				