
THIS DRAWING IS INTENDED ONLY AS A GUIDE AND NOT AS A REPLACEMENT FOR PROFESSIONALLY ENGINEERED PROJECT DRAWINGS. THIS CONCEPT SYSTEM DRAWING DOES NOT IMPLY COMPLIANCE WITH LOCAL BUILDING CODES. ACTUAL INSTALLATION MAY VARY DEPENDING ON INSTALLATION LOCATION AND PRABMETERS AND IT MUST BE DONE IN ACCORDANCE TO ALL LOCAL BUILDING CODES. VERIFY WITH LOCAL BUILDINGS OFFICIALS BEFORE COMMENCEMENT OF SYSTEM INSTALLATION. CHANGES OR MODIFICATIONS TO PIPING FOR DESIGN IS NOT TO BE PERFORMED WITHOUT EXPRESSED WRITTEN PRIMISSION BY NAMEN, INC.

NOTE:

APPLICATIONS WITH A MIXTURE OF NAVIEN NPE-A2 (CIRCULATION) AND NPE-S2 (STANDARD), THE FOLLOWING SHALL APPLY:

- 1. 50% OF TANKLESS UNITS SHALL BE NPE-A2 MODELS.
- 2. MINIMUM OF (2) NPE-A2 MODELS (2 OF 3-4, 3 OF 6)



TANKLESS QUANTITY: RECOMMENDED PIPE SIZE	1 UNIT: 3/4" 2 UNITS: 1" 3 UNITS: 1-1/4" 4-5 UNITS: 1-1/2" 6-8 UNITS: 2" 9-14 UNITS: 2-1/2" 15-16 UNITS: 3"			SYMBOL LEGEND			
MAVIEN	NPE-A2/S2 SERIES TANKLESS WATER HEATER			— UNION	' '	FULL-PORT VALVE	EXPANSION TANK
Mavien	(5) NPE-A2/NPE-S2 TANKLESS WATER HEATERS		VALVE			IANK	
20 GOODYEAR	WITH ÉXTERNAL RECIRCULATION MODE INCLUDES MODELS 150(NPE-S2 ONLY), 180, 210 AND 240			CASCADE CABLE	PRESSURE RELIEF VALVE		
IRVINE, CA 92618 800-519-8794					1 VALVE		
www.navieninc.com	DRAWN BY: S. STOEKE	NPE-A2-S2-5-E	MAY 12, 2022				