THIS DRAWING IS INTENDED ONLY AS A GUIDE AND NOT AS A REPLACEMENT FOR PROFESSIONALLY ENGINEERED PROJECT DRAWINGS. THIS CONCEPT SYSTEM DRAWING DOES NOT IMPLY COMPLIANCE WITH LOCAL BUILDING CODES, ACTUAL INSTALLATION, BUILDING CODES, VEHICY WITH LOCAL BUILDINGS OFFICIALS BEFORE COMMENCEMENT OF SYSTEM INSTALLATION, CHANGES OR MODIFICATIONS TO PIPING OR DESIGN IS NOT TO BE PERFORMED WITHOUT EXPRESSED WRITTEN PERMISSION BY NAMEN, INC.

| RECOMMENDED SYSTEM & HEADER PIPE SIZES — TOTAL BTU (>4 FT/SEC.)
| - 1-1/2" - UP TO 301,000 BTU'S (1 BOILER)
| - 2" - 399,000 BTU'S (1 BOILER)
| - 2" - 399,000 BTU'S (1 BOILER)
| - 2" - 399,000 BTU'S (3 BOILERS)
| - 4" - 1,204,000 TO 3,192,000 BTU'S (4 TO 8 BOILERS)
| - 4" - 1,204,000 TO 3,192,000 BTU'S (4 TO 8 BOILERS)
| BOILER #1 BOILER #2 BOILER #3



