

NEW WUR500 Tankless Reverse Osmosis & WUA500 Carbon Block Filtration Systems

Easy-to-install, easy-to-operate, under-sink water filtration systems for improved water taste and smell











WUR500

Point-of-use Tankless RO water filtration system



Polished metal smart faucet with time/filter replacement reminder and TDS display.





Tankless design is compact and helps prevent bacterial growth common in tank systems.



Reverse osmosis technology filters particles as small as .0001 microns, delivering high-quality drinking water.


WUR500 allows for easy filter changes and provides a fast flow rate with a rated daily production rate of 600 GPD – drain ratio 2:1.*

NSF/ANSI 58 certified RO filter reduces TDS (Total Dissolved Solids) for great-tasting drinking water.

NSF/ANSI 372 certified lead-free material construction.



Intuitive backlit smart controls for TDS levels, filtration-in-action digital indicators for each filter, and filter replacement reminders.





WUA500

Point-of-use Carbon Block water filtration system



The stylish, chrome faucet with filtration indicator light and cartridge replacement alert.







Activated carbon removes harmful substances, odors, and other contaminants producing improved, great-tasting water.



NSF-certified products and accessories, rigorously tested to be free from harmful contaminants.

Quick to install with a built-in mounting bracket, simple to operate, and designed for easy filter replacement.

Carbon block filters remove up to 99% of impurities, including pharmaceuticals, herbicides, and pesticides, enhancing water quality.

Built-in shut-off valve and easy-turn handle make it simple to replace filter cartridge.

Compact, simple design provides continuous water supply without a storage tank, saving space and reducing installation time.



WUR500 included parts





Specifications

Items		Description
Model name		WUR500
Filter cartridge part number	PCT	30035162
	RO	30035163
Filter lifespan ¹	PCT	8-12 months
	RO	12-24 months
Rated daily production rate (flow rate)		600 GPD (RO: 0.4 GPM, filtered: 0.8 GPM)
Drain ratio ²		2:1
Dimensions (W x D x H)		17.1 x 5.4 x 15.9 in (434.3 x 137.2 x 403.2 mm)
Power input		AC 120V
Power output		DC 24V
Rated frequency		50/60 Hz
Rated power		95W
Feedwater requirement		Municipal tap water
Feedwater pressure		14.5-58.0 psi (100-400 kPa)
Feedwater pH		6.5-8.5
Feedwater temperature		40-100°F (4-38°C) (COLD WATER ONLY)
Ambient temperature		40-113°F (4-45°C)
Relative humidity		≤90% (indoor)
Certification	Unit	NSF58, NSF372 (certified by IAPMO)
	Smart faucet	NSF61, NSF372 (certified by IAPMO)
	Inlet t-valve	NSF372 (certified by IAPMO)
	v	WIRDOD is certified by APANO 982 regalent NSF3VAVS 58 for material safety, shoutcal Registry and TDS induction and NSF3VAVS T2 for bad feet conclusion. ST2 for bad feet conclusion.

WUA500 included parts



Specifications

Items		Description
Model name		WUA500
Filter cartridge part number		30035169
Filter lifespan ¹		500 gallons (1,800 Liters), 6 months
Flow rate		0.5 GPM (1.89 LPM)
Dimensions (W x D x H)		Ø3.4 x 4.8 x 11.1 in (Ø87.2 x 122.0 x 283.3 mm)
Batteries		AA Alkaline batteries (3 ea) required
Feedwater requirement		Municipal tap water
Feedwater pressure		30-125 psi (207-862 kPa)
Feedwater pH		6.5-8.5
Feedwater temperature		40–100°F (4–38°C) (COLD WATER ONLY)
Relative humidity		≤90% (indoor)
Certification	Head & filter	NSF42, NSF53, NSF372, NSF401
	Smart faucet	NSF61, NSF372 (certified by IAPMO)
	Inlet t-valve	NSF372 (certified by IAPMO)
	NSF	System Rosed and Certified by MSF international against MSFANSELQ, \$3,122 and 401 for the reduction of the dates specified not he Performance that the extent at a second any All comproses security of spatial material with Certifique are vedical to the MSF certification. "Smart Rosed Tende and Certified by MSPAD against ASFANCEC AND ELTZ" "Hall to Valid in Certificial MSFANCEC against ASFANCEC AND ELTZ".

¹ Filter replacement schedule may vary depending on local water conditions and water usage. When water usage is high or local water condition is bad (high sediment, chlorine, turbidity, or hardness levels), filter replacement may be required sooner than the recommended filter replacement schedule.

Also check out Navien's WEC Tankless Electric Water Treatment System

The ultimate in whole-house water conditioning

The WEC is simple to install, easy to maintain, and easy to operate. It uses advanced electro-membrane technology to reduce TDS, hardness, and other contaminants—without salt or storage tanks. It's the complete package, with a sediment pre-filter, post-carbon block filter, and dual-module continuous water conditioning with no regeneration downtime.





We are @Navieninc everywhere











Navien, Inc. navieninc.com 800-519-8794 20 Goodyear, Irvine, CA 92618

Navien Canada, Inc. navieninc.ca 800-519-8794 555 Hanlan Rd., Unit 7, Vaughan, ON L4L 4R8



POU-BR001-2509 ©2025 Navien Inc.

²This is based on the results measured by our laboratory and may vary depending on the test conditions.

WUR500 and WUA500 are separately sold items.